DALVANCE® Order Form





Fax completed	d form to:					
		PATIEN	T INFORMATIC	N		
Patient Name:	Date of Birth:		Referral Date:		Referral Date:	·
Address:				City/State/Z	Zip:	
Home Phone:		Cell Phone:			Work Phone:	
Secondary Contact:		Height:	Weight:		Male Female	
Patient Diagnosis & ICD)-10:					
Allergies:						
		PROVID	ER INFORMATI	ON		
Physician Name:		Lic.#:		DEA #:		
Practice Name:				NPI#:		
Address:			City/State/Zip:			
Office Contact: Phone:			Fax:			
Supervisory Physician (i	f applicable):					
		PLI	EASE ATTACH			
Patient demographics & front/back copy of all insurance cards (prescription & medical) Estimated creatinine clearance						
Recent office visit notes, history & physical, lab & pertinent procedure results			Culture & sensitivity results			
			1	cal necessity if drug dosing or indication is outside of FDA guidelines		
						ilics
Line access documentation/verification if applicable						
		NURSIN	NG & LAB ORDE	RS		
Nurse Orders: Nurse to	provide assessment, teaching, lab draws,	medication administration a	and vascular access device ins	sertion and/or m	nanagement per physician orders.	
Flush Orders: NaCl 0.9	% - 5-10mL flush pre and post infusion and	l as needed Heparin - 1	Ounits/mL OR 100	units/mL - 3-5m	nL flush after post-infusion NS flush if ind	licated to maintain line
Lab Orders:			Lab Date & Frequency	<i>l</i> :		
		PRESCI	RIPTION ORDEI			
		1 RESCI	MII IION ORDEI			
Anaphylaxis Kit:	Epinephrine 0.3mg IM as needed Solu-Cortef 250mg-500mg IV infusion as needed Solu-Medrol 60mg - 125mg IV infusion as needed					
(Check all that apply)						
(**************************************						
Supply Orders: All sup	plies for vascular access line care, drug adn	ninistration kit(s), pump, and	d IV pole will be provided as i	necessary		
PRODUCI		PRESCRIP	TION INFORMA	ATION		REFILLS
Is this a first dose?	Yes No If No, when was last dose giv	/en?	_When is patient due for ne	xt dose?		
	Adult Dosing: Estimated Creatinine Clear					
DALVANCE	30mL/min and above or on regular hemodyalysis: 1500mg single dose regimen or 1000mg followed by one week later 500mg two dose regimen IV					
(to be mixed in D5W)	infusion via gravity OR pump over 30 minutes					
	Less than 30mL/min and not on regular hemodialysis: 1125mg single dose regimen or 750mg followed by one week later 375mg two dose regimen IV					
	infusion via gravity OR pum	p over 30 minutes				
OTHER						
By signing this form an	nd utilizing our services, you are authoriz	ing Amerita, Inc. to serve a	s your prior authorization o	lesignated agei	nt in dealing with medical and prescrip	otion insurance companies.
Prescriber's Signature	Print Name	Date	Prescriber's Sig	nature	Print Name	Date
Dispense as Written			Substitution Po			





