

# Krystexxa Order Form

Fax completed form to: \_\_\_\_\_



PATIENT INFORMATION			
Patient Name:		Date of Birth:	
Address:		Referral Date:	
Home Phone:		City/State/Zip:	
Secondary Contact:		Cell Phone:	
Patient Diagnosis & ICD-10:		Work Phone:	
Allergies:		Height:                      Weight:	
		Male                      Female	
PROVIDER INFORMATION			
Physician Name:		Lic.#:	
Practice Name:		DEA #:	
Address:		NPI#:	
Office Contact:		City/State/Zip:	
Supervisory Physician (if applicable):		Phone:	
		Fax:	
PLEASE ATTACH			
Patient demographics & front/back copy of all insurance cards (prescription & medical) Recent office visit notes, history & physical, lab & pertinent procedure results Current medication list & list of prior medications tried and failed (with dates) G6PD deficiency results Verification that patient has discontinued or plans to discontinue oral urate lowering medications		Evidence of patient on concurrent immunomodulation therapy such as: methotrexate, mycophenolate, leflunomide, azathioprine, or cyclosporine (Evidence supports the combination of Krystexxa and an immunomodulator in improving the patient's response to therapy; consider adding an immunomodulator if clinically appropriate.)  Baseline serum Uric Acid lab results Letter of medical necessity if drug dosing or indication is outside of FDA guidelines	
NURSING & LAB ORDERS			
<b>Nurse Orders:</b> Nurse to provide assessment, teaching, lab draws, medication administration and vascular access device insertion and/or management per physician orders. <b>Flush Orders:</b> NaCl 0.9% - 5-10mL flush pre and post infusion and as needed    Heparin - 10units/mL ---OR--- 100units/mL - 3-5mL flush after post-infusion NS flush if indicated to maintain line <b>Lab Orders:</b> <b>Lab Date &amp; Frequency:</b>			
PRESCRIPTION ORDERS			
<b>Anaphylaxis Kit:</b> Epinephrine 0.3mg IM as needed                      Solu-cortef 250mg-500mg IV infusion as needed                      Solu-Medrol 60mg - 125mg IV infusion as needed (Check all that apply)    Diphenhydramine _____ mg IV infusion as needed                      NS Hydration 500 ml IV infusion over 30 minutes as needed                      Other			
<b>Pre-Medications:</b> Per prescribing information: Pre-medications of antihistamine, corticosteroid and analgesic is recommended (Check all that apply)    Acetaminophen _____ mg PO _____ minutes prior to infusion                      Solu-Medrol _____ mg IV infusion _____ minutes prior to infusion Diphenhydramine _____ mg                      PO ---OR--- IV infusion _____ minutes prior to infusion                      Other			
<b>Supply Orders:</b> All supplies for vascular access line care, drug administration kit(s), pump, and IV pole will be provided as necessary			
PRODUCT	PRESCRIPTION INFORMATION		REFILLS
Is this a first dose?	Yes      No      If No, when was last dose given? _____ When is patient due for next dose? _____		
Krystexxa	8mg IV infusion via                      gravity or                      pump over at least 2 hours every 2 weeks  <input checked="" type="checkbox"/> <b>After first infusion, patient to have sUA level performed within 48 hours prior to each infusion.</b> <b>For KVO: NS 100mL via IV infusion over 1 hour.</b> If sUA is ≤ 6mg/dL, <b>proceed.</b> If sUA is > 6mg/dL, <b>hold &amp; contact provider.</b>		_____
OTHER			_____
<i>By signing this form and utilizing our services, you are authorizing Amerita to serve as your prior authorization designated agent in dealing with medical and prescription insurance companies.</i>			

Prescriber's Signature                      Print Name                      Date  
 Dispense as Written

Prescriber's Signature                      Print Name                      Date  
 Substitution Permitted