LEMTRADA® Order Form





Fax completed form to:

		PATIENT IN	FORMATION	J		
Patient Name:	Dat	te of Birth:			Referral Date:	
Address:				City/State/Zi	p:	
Home Phone:	Cell	I Phone:			Work Phone:	
Secondary Contact:		ight: We	eight:		Male Female	
Patient Diagnosis & I	CD-10:					
Allergies:						
	P	PROVIDER I	NFORMATIO	1		
Physician Name:	Lic.	#:		DEA #:		
Practice Name:			NPI#:			
Address:				City/State/Zip:		
Office Contact:	/	one:		Fax:		
Supervisory Physician	ı (if applicable):					
			AL DETAILS			
Type of MS: Primary progressive multiple sclerosis (PPMS) OR Relapsing multiple sclerosis (RMS)						
Ambulation status	: Able to ambulate more than 5 meters Able t	to ambulate without aid or r	rest for at least 100 met	ers		
Relapse details:	Two or more relapses within the previous two years	One relapse within the	previous year			
		PLEASE	ATTACH			
Patient demograp	hics & front/back copy of all insurance cards (prescrip	tion & medical) Cl	BC with differential, Ser	rum creatinine	levels, urinalysis with cell counts, urine protein to c	reatinine ratio
Recent office visit notes, history & physical, lab & pertinent procedure results						
	Pregnancy test results (if applicable)					
	n list & list of prior medications tried and failed (with	Ve	Vaccine status (any vaccination) and documentation of any recent vaccinations			
Line access documentation/verification if applicable Letter of medical necessity if drug dosing or indication is outside of FDA guidelines						
		NURSING &	LAB ORDER	S		
Nurse Orders: Nurse	to provide assessment, teaching, lab draws, medicati	ion administration and vasc	ular access device inser	tion and/or ma	nagement per physician orders.	
	.9% - 5-10mL flush pre and post infusion and as need				flush after post-infusion NS flush if indicated to m	aintain ling
Oxygen: Give O_2 at 2	L/M per nasal cannula as needed					
Lab Orders:		Lab	Date & Frequency:			
		SUPPLY	ORDERS			
Supply Orders: All s	upplies for vascular access line care, drug administrati	on kit(s), pump, and IV pole	will be provided as nee	essary		
PRODUCT		PRESCRIPTIO	ON INFORMA	TION		REFILLS
	Voc No If No when was last doce given?					
Is this a first dose?	Yes No If No, when was last dose given?		is patient due for next	dose:		
LEMTRADA	Pre Meds: Hydroxyzine HCI 50mg po prior to start of infusion and every 6 hours prn #25					
	Acyclovir 200mg po BID for a minimum of 2 months or until CD4+ count is > or = to 200 cells per microliter, whichever occurs later #60 Refill: #1					
	Cetirizine 10mg po prior to Lemtrada infusion			n 4mg po prn #		
	Promethazine 25mg po prn #25			20mg prior to s	tart of alemtuzumab infusion	
	Acetaminophen 1000mg po prior to start of Lo					
	Note – If needed, please send pain preso					
	Pre Infusion: Solu-Medrol 1000mg IV infusion in 500mL of 0.9% NaCl over 1 hour prior to Lemtrada infusion on days 1, 2 and 3 only					
	Normal saline 0.9% 500ml IV prior to Lemtrada infusion on days 4 and 5					
	Initial Course: 12mg/day IV infusion via pumpOR gravity over 4 hours for 5 consecutive days					
	Subsequent Course: 12mg/day IV infusion via pump OR gravity over 4 hours for 3 consecutive days *To start at least 12 months after previous dose*					
	Post Meds: Normal saline 0.9% 500mL IV infusion over 1 hour post Lemtrada infusion					
ANAPHYLAXIS / Side Effect Orders						
	Ondansetron 4-8mg in 50-100mL 0.9% NaCl IV infusion over 15 minutes prn nausea					
	Epinephrine 1:1000 0.5-1mL IVP prn angioedema/hypotension/branchospasm/generalized urticaria					
	Ketorolac: 30mg IVP over 3-5 minute					
	Ketorolac: 30mg IVP over 3–5 minute					
ORDERS	Ketorolac: 30mg IVP over 3-5 minute Diphenhydramine 50mg in 100mL of 0.9% N	aCl IV over approx 15 mins p	orn pruitis/rash			
		aCl IV over approx 15 mins p	orn pruitis/rash			
ORDERS			-	nated agent in	dealing with medical and prescription insuranc	e companies.



