## Multiple Sclerosis Order Form





Fax completed form to:

ax completed		DATIEN	T INICODMATION			
Patient Name:			T INFORMATION	1	oforral Dato:	
Patient Name: Address:		Date of Birth:		Referral Date:  City/State/Zip:		
Home Phone:		Cell Phone:		<u> </u>	ork Phone:	
Secondary Contact:		Height:	Weight:	VVC	Male Female	
Patient Diagnosis & ICD-	.1∩·	ricigiit.	weight.	ļ.	Male l'ellaie	
Allergies:						
PROVIDER INFORMATION						
Physician Name:		Lic.#:	ER INTORMATIO	DEA #:		
Practice Name:		LIC.II.		NPI#:		
Address:				City/State/Zip:		
Office Contact:				Fax:		
Supervisory Physician (if	annlicable):	1 Hone.		Tux.		
Supervisory i nysician (ii	ирысиме).	MS CLI	NICAL DETAILS			
<b>Type of MS:</b> Primary progressive multiple sclerosis (PPMS)OR Relapsing multiple sclerosis (RMS)						
Ambulation status: Able to ambulate more than 5 meters Able to ambulate without aid or rest for at least 100 meters						
Relapse details: Two or more relapses within the previous two years One relapse within the previous year						
		PLE	ASE ATTACH			
Patient demographic	cs & front/back copy of all insurance cards (pre	scription & medical)	Quantitative serum Immi	unoglobulin lab res	sults (Ocrevus and Briumvi only)	
Recent office visit notes, history & physical, lab & pertinent procedure results  Vaccine status (any vaccination) and documentation of any recent vaccinations						
Current medication list & list of prior medications tried and failed (with dates)  HBV lab results within last 12 months (0					•	
Line access documentation/verification if applicable			Letter of medical necessity if drug dosing or indication is outside of FDA guideline			
Line decess documen	reation, verification if applicable	NILIDOIN			indication is outside of 1 DA galdeline	
NURSING & LAB ORDERS						
<b>Nurse Orders:</b> Nurse to provide assessment, teaching, lab draws, medication administration and vascular access device insertion and/or management per physician orders.						
Flush Orders: NaCl 0.9% - 5-10mL flush pre and post infusion and as needed Heparin - 10units/mLOR 100units/mL -3-5mL flush after post-infusion NS flush if indicated to maintain line						
Lab Orders:			Lab Date & Frequency:			
PRESCRIPTION ORDERS						
Anaphylaxis Kit:	Epinephrine 0.3mg IM as needed Solu-cortef 250mg-500mg IV infusion as needed Solu-Medrol 60mg - 125mg IV infusion as needed					
(Check all that apply)			dration 500 ml IV infusion over			
Pre-Medications:	Acetaminophenmg PO	minutes prior to infu		mg IV infusion		
(Check all that apply)		•	minutes prior to infusion		Other	
Supply Orders: All supp	olies for vascular access line care, drug admini	stration kit(s), pump, and	IV pole will be provided as neo	essary		
PRODUCT		PRESCRI	PTION INFORMA	TION		REFILLS
Is this a first dose? Y	es No If No, when was last dose given	?	_When is patient due for next o	dose?		
is this trinst dose.	<u>-</u>					
BRIUMVI	<b>Induction</b> : 150mg IV infusion via gr	avityOR pump	over at least 4 nours followed 2	weeks later by 450i	mg IV infusion over at least 1 hour	NONE
	Maintenance: 450mg IV infusion via	gravityOR pu	ımp over 1 hour 24 weeks after	the first infusion a	and every 24 weeks thereafter	NONE
	Post Infusion: Sodium Chloride 0.9% 100n	nl administer IV to keep li	ne open (KVO) for one hour foll	owing infusion		
	(Per PI, Corticosteroid and antihistamine required for pre-medication, refer to section above)					
	<u> </u>			2 weeks later by 30	Omg IV infusion over at least 2.5 hours	NONE
OCREVUS						NONE
	Maintenance: 600mg IV infusion via	gravity <b>OR</b> pu	imp over 3.5 nours every 6 mor	ntns (if no prior seri	ious infusion reactions, may administer over	
	at least 2 hours)					
	Post Infusion: Sodium Chloride 0.9% 100ml administer IV to keep line open (KVO) for one hour following infusion					
	(Per Pl, Corticosteroid and antihistamine required for pre-medication, refer to section above)					
TYSABRI	300mg IV infusion via gravity OR pump over one hour every 4 weeks					NONE
ווטאכוו	Post Infusion: Sodium Chloride 0.9% 100ml administer IV to keep line open (KVO) for one hour following infusion					
IG	For Immunoglobulin therapy please refer	to Immunoglobulin For	m	,		
	For Lemtrada therapy please refer to Lemi					
LEMTRADA	I OI LEITIG GOOG GIETAPY PIEUSE FEFEI LO LEITI					
	Tor terna add therapy pieuse rerer to terni					
OTHER	то сетиши тегару реше геге со сет					
OTHER		Amerita Inc to serve as	your prior authorization des	ianated agent in a	dealing with medical and prescription insura	unce companies

Prescriber's Signature <u>Dispense as Written</u> **Print Name** 

Date

Prescriber's Signature <u>Substitution Permitted</u> **Print Name** 

Date





